




Inspired by Earth's
N A T U R E
Take notes from the elemental
beauty of Mother Nature



Jain's[®]
Since - 1998



Jain's[®]
Since - 1998



Jain's[®]
Since - 1998


11, Ananda Palit Rd,
Near Entally, Entally, Kolkata,
West Bengal 700014, India

euroextrusions2016@gmail.com
www.euroextrusions.in

Discover Nature's Timeless

B E A U T Y

Experience the magnificence of
decorative surfaces with a modern touch



ABOUT US

At Euro Extrusions and Jain PVC Profile, we have proudly served as the leading manufacturers of PVC, WPC and IDP orafiles in India under the Jain brand since 1998. With over 25 years of industry expertise, our partners and directors ensure that every product we create meets the highest standards.

With a strong commitment to addressing environmental concerns, especially global warming, we have focused on providing sustainable alternatives to traditional materials. Our range of PVC profiles-including door frames, shutters, false ceiling, partitions, kitchen cabinets and custom-molded profiles are designed to minimize environmental impact while offering top-quality and durable solutions. Every product carries our Jain hologram, ensuring authenticity and excellence, backed by rigorous R&D efforts

Our in-house design and manufacturing facilities are equipped with cutting-edge tools and machinery, allowing us to control the entire production process from start to finish. We offer unmatched variety in colors, finishes, and designs and our advanced digital printing technology ensures a premium and polished look for every product.

Whether you need doors, partitions or customized solutions, we have the right product for your needs. Reach out to us today to explore how we can help bring your project to Life with high-quality, eco-friendly solutions.



Unveiling Nature's Finest

C R E A T I O N

Experience surfaces that merge innovation
with timeless beauty.



INDEX

01
06 TEXTURES


07
10 WOODEN
COLLECTION

11
14 PREMIUM
MATT

15
20 STONES &
MARBLES

21
22 ABSTRACTS


23
24 SOLIDS &
SPARKLES



Textures


The Exceptional
LUXURY

Jain's®
Since - 1998



110x100mm

JN 6027




110x100mm

JN 6026



JN 6026





235x100mm

JN 6018




235x100mm

JN 6017



JN 6029




JN 6028




JN 6025



JN 6031



JN 6030




Textures

Incredible look &
F I N I S H

Jain's[®]
Since - 1998



JN 6010



JN 6040



JN 6009




JN 6034



Radiance
Rustic wood grains echo
nature's beauty, embracing the
soul of timeless design.



JN 6001




Wooden Collection

Make it Visually
IMPACTFUL

Jain's®
Since - 1998



JN 4013



JN 4014



JN 4015




JN 4016



JN 4017



JN 4018



Wooden Collection

Surfaces of
DESIRES


Jain's®
Since - 1998



235x100mm

JN 4001

09



150X100

JN 4020

“
IT'S
DJALIN

Deep wood textures
whisper elegance, inviting
sophistication into
your space.



150X100

JN 4010




JN 4007

10



JN 3029



JN 3032


Create
your own
style



JN 3033



JN 3030




JN 3031





Premium Matt




150X100

JN 3026




150X100

JN 3034



JN 3027



150X100

JN 3027



JN 3028



JN 3034




Stones and Marbles

Reflects modern
DYNAMISM

Jain's
Since - 1998



JN 3041




JN 3047



JN 3049





Stones and Marbles

Style Meets
DURABILITY

Jain's®
Since - 1998

“
Overcome
the
Typical


Tradition meets contemporary
design in perfect harmony with
the terrazzo effect.



JN 3044



JN 3045




JN 2008




JN 2007





JN 2001




JN 2002




Dynamic



Vibrant colors pulse with life,
energizing every corner with
personality & flair.



JN 2003



JN 2004



JN 3036



JN 3037



JN 4036



JN 4035





80x50mm

JN 1001

T

JN 1008

JN 1019

JN 1031

80x50mm

JN 1004

S

MAGNIFICENT
Tones

C

JN 1007

JN 1014

JN 1032

80x50mm

JN 1005

JN 1013

JN 1057

JN 1006

JN 1011

N

E

Splash
of Solids



Technical Specifications

- **RANGE**
A wide variety is available in terms of designs, colors and texture.
- **ADHESIVE**
These laminates can be applied using bond on plywood surface and Heat X on PVC Board. However it is recommended to use pvc glue which is easily available in the market. Usage of heat activated adhesive is not recommended.
- **LAMINATION**
It is advisable to use proper substrates and observe standard bonding procedures to avoid any errors. Good quality plywood, high density particle board or high quality fiber board should be used as substrates. Make sure that the face of the substrate is smooth and free of grease, wax, dust, chips and other foreign matter.
- **CUTTING & MACHINING**
Make sure that you use standard tools and equipments to cut, rout and drill the products. The blades used shall be sharp. Use smooth file to feather all corner edges and to remove any burrs that may occur in the cutting process
- **STORAGE & MAINTENANCE**
The laminates and the substrates shall be stored at the temperatures between 22°C and 32°C at relative humidity of 45.55%. Exposure to sunlight shall be avoided.
- **WARRANTY**
Jain's warrants that these products are free from manufacturing defects and are suitable to use under normal conditions. Inspect the product prior to installation. Company's liability shall be limited to the extent of the cost of the product only.
- **NOTE**
Protective file shall be removed only after installation. PVC laminate to be used only for Indoors and direct exposure to sunlight shall be avoided. It is advisable to use V_Groove cutting by giving a groove of 0.4mm to 0.6mm for bending the sheet upto 90°

Features



100% Termite
& Borer Proof



100% Bacteria
& Fungus Resistant



100% Lead
Free Sheet



100% Formaldehyde
Emission Free



Non
Toxic Sheet



Zero
Maintenance



No Shrinkage
& Swelling



90° Bendable,
No Need of
Edge band



Fire
Retardant



100%
Waterproof

